



REFERENCE BOOK

2018



REFERENCE BOOK

2018

CATALOGUE: REFERENCE BOOK 2018

REVISION: 0

FILE NAME: NUPI_Reference_Book_2018_EN.pdf



COSTA BÁVARO - DOMINICAN REPUBLIC

LOPESAN COSTA BÁVARO RESORT

SISTEMA
NIRON

LOPESAN COSTA BÁVARO RESORT

NATION	DOMINICAN REPUBLIC
CITY	COSTA BÁVARO
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	UNDER CONSTRUCTION
MATERIALS USED	NIRON CLIMA PIPES IN DIFFERENT DIAMETERS NIRON ELECTROFUSION FITTINGS IN DIFFERENT DIAMETERS



HAVANA - CUBA

CRUISE TERMINAL

SISTEMA
NIRON

CRUISE TERMINAL

NATION	CUBA
CITY	HAVANA
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	UNDER CONSTRUCTION
MATERIALS USED	NIRON PIPES IN DIFFERENT DIAMETERS NIRON FITTINGS IN DIFFERENT DIAMETERS



WAVRE - BELGIUM

RÉSIDENCE LASNOISE SENIOR HOUSING

SISTEMA
NIRON

RÉSIDENCE LASNOISE SENIOR HOUSING

NATION	BELGIUM
CITY	WAVRE
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	APRIL 2018
MATERIALS USED	NIRON CLIMA PIPES Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4") NIRON FITTINGS Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4")



BRUGES - BELGIUM

AZ SINT LUCAS HOSPITAL

SISTEMA
NIRON

AZ SINT LUCAS HOSPITAL

NATION	BELGIUM
CITY	BRUGES
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	FEBRUARY 2018
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON FITTINGS UP TO Ø250mm (10")



BRUSSELS - BELGIUM

BRUGMANN UNIVERSITY HOSPITAL

SISTEMA
NIRON

BRUGMANN UNIVERSITY HOSPITAL

NATION BELGIUM

CITY BRUSSELS

APPLICATION AIR-CONDITIONING SYSTEM
PLUMBING SYSTEM

COMPLETION DATE FEBRUARY 2018

MATERIALS USED

NIRON CLIMA PIPES UP TO Ø250mm (10")

NIRON MONOLAYER PIPES Ø75mm (2 ½"), Ø90MM (3"), Ø110mm (4")

NIRON FITTINGS UP TO Ø250mm (10")



VALLETTA - MALTA

CRANE CURRENCY INDUSTRIAL PLANT

SISTEMA
NIRON

CRANE CURRENCY INDUSTRIAL PLANT

NATION	MALTA
CITY	VALLETTA
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON PIPES FROM Ø63mm (2") TO Ø250mm (10") NIRON FITTINGS FROM Ø63mm (2") TO Ø250mm (10")



CASABLANCA - MOROCCO

CASA ANFA APARTMENT BUILDINGS

SISTEMA
NIRON

CASA ANFA APARTMENT BUILDINGS

NATION	MOROCCO
CITY	CASABLANCA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON CLIMA PIPES FROM Ø20mm (½") TO Ø160mm (6") NIRON MONOLAYER PIPES FROM Ø20mm (½") TO Ø160mm (6") NIRON FITTINGS FROM Ø20mm (½") TO Ø160mm (6")



PANAMA CITY - PANAMA

AMADOR CONVENTION CENTER

SISTEMA
NIRON

AMADOR CONVENTION CENTER

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON CLIMA PIPES FROM Ø63mm (2") TO Ø250mm (10") NIRON FITTINGS FROM Ø63mm (2") TO Ø250mm (10")



BRUSSELS - BELGIUM

SERVICE STATION

SISTEMA
NIRON

SERVICE STATION

NATION	BELGIUM
CITY	BRUSSELS
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON CLIMA PIPES FROM Ø63mm (2") TO Ø110mm (4") NIRON FITTINGS FROM Ø63mm (2") TO Ø110mm (4")



QUITO - ECUADOR

QUITO SUR HOSPITAL

SISTEMA
NIRON

QUITO SUR HOSPITAL

NATION	ECUADOR
CITY	QUITO
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	OCTOBER 2017
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON FITTINGS UP TO Ø200mm (8")



SALIENT - SPAIN

STRADIVARIUS LOGISTICS CENTER

SISTEMA
NIRON

STRADIVARIUS LOGISTICS CENTER

NATION	SPAIN
CITY	SALIENT (BARCELONA)
APPLICATION	PLUMBING SYSTEM RAINWATER RECYCLING SYSTEM
COMPLETION DATE	OCTOBER 2017
MATERIALS USED	NIRON MONOLAYER PIPES Ø63mm (2") NIRON PURPLE PIPES Ø63mm (2") NIRON FITTINGS Ø63mm (2")



BRUSSELS - BELGIUM

APARTMENT BUILDING

SISTEMA
NIRON

APARTMENT BUILDING

NATION BELGIUM

CITY BRUSSELS

APPLICATION PLUMBING SYSTEM

COMPLETION DATE SEPTEMBER 2017

MATERIALS USED NIRON MONOLAYER PIPES FROM Ø50mm (1 ½") TO Ø90mm (3")
NIRON FITTINGS FROM Ø50mm (1 ½") TO Ø90mm (3")



BARCELONA - SPAIN

IBEROSTAR PASEO DE GRACIA HOTEL

SISTEMA
NIRON

IBEROSTAR PASEO DE GRACIA HOTEL

NATION	SPAIN
CITY	BARCELONA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	SEPTEMBER 2017
MATERIALS USED	NIRON FIBER PIPES Ø125mm (5") NIRON CLIMA PIPES FROM Ø50mm (1 ½") TO Ø110mm (4") NIRON FITTINGS FROM Ø50mm (1 ½") TO Ø125mm (5")



VALENCIA - SPAIN

PALAU DE LA MÚSICA

SISTEMA
NIRON

PALAU DE LA MÚSICA

NATION	SPAIN
CITY	VALENCIA
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	JULY 2017
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON ELECTROFUSION FITTINGS UP TO Ø250mm (10")



ORURO - BOLIVIA

ORURO COREA HOSPITAL

SISTEMA
NIRON

ORURO COREA HOSPITAL

NATION	BOLIVIA
CITY	ORURO
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MAY 2017
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



BRUSSELS - BELGIUM

UZ LEUVEN HOSPITAL

SISTEMA
NIRON

UZ LEUVEN HOSPITAL

NATION BELGIUM

CITY BRUSSELS

APPLICATION AIR-CONDITIONING SYSTEM
PLUMBING SYSTEM

COMPLETION DATE MAY 2017

MATERIALS USED

NIRON CLIMA PIPES UP TO Ø250mm (10")
NIRON MONOLAYER PIPES UP TO Ø250mm (10")
NIRON FITTINGS UP TO Ø250mm (10")



MILAN - ITALY

PORTA NUOVA FINANCIAL DISTRICT

SISTEMA

NIRON_β

SISTEMA

NIRON[®]

PORTA NUOVA FINANCIAL DISTRICT

NATION

ITALY

CITY

MILAN

APPLICATION

AIR-CONDITIONING SYSTEM

COMPLETION DATE

APRIL 2017

MATERIALS USED

NIRON CLIMA PP-RCT PIPES FROM Ø110mm (4") TO Ø315mm (12")
NIRON FITTINGS AND MANIFOLDS FROM Ø110mm (4") TO Ø315mm (12")



CASABLANCA - MOROCCO

MARRIOTT AL MAARIF HOTEL

SISTEMA
NIRON

MARRIOTT AL MAARIF HOTEL

NATION	MOROCCO
CITY	CASABLANCA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2017
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON MONOLAYER PIPES UP TO Ø110mm (4") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")



BRUSSELS - BELGIUM

INDUSTRIAL PLANT

SISTEMA
NIRON

INDUSTRIAL PLANT

NATION	BELGIUM
CITY	BRUSSELS
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	FEBRUARY 2017
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON FITTINGS UP TO Ø250mm (10")



CASABLANCA - MOROCCO

CASABLANCA MARINA APARTMENT BUILDINGS

SISTEMA
NIRON

CASABLANCA MARINA APARTMENT BUILDINGS

NATION	MOROCCO
CITY	CASABLANCA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	NOVEMBER 2016
MATERIALS USED	NIRON CLIMA PIPES Ø250mm (10") NIRON MONOLAYER PIPES FROM Ø63mm (2") TO Ø110mm (4") NIRON ELECTROFUSION FITTINGS UP TO Ø250mm (10")



GUAYAQUIL - ECUADOR

LOS CEIBOS HOSPITAL

SISTEMA
NIRON

LOS CEIBOS HOSPITAL

NATION	ECUADOR
CITY	GUAYAQUIL
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	NIRON FIBER PIPES Ø125mm (5") NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø250mm (10")



PALMA DE MALLORCA - SPAIN

HIHOTELS GRAN PLAYA DE PALMA HOTEL

SISTEMA
NIRON

HIHOTELS GRAN PLAYA DE PALMA HOTEL

NATION	SPAIN
CITY	PALMA DE MALLORCA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	SEPTEMBER 2016
MATERIALS USED	NIRON CLIMA PIPES FROM Ø160mm (6") TO Ø450mm (18") NIRON MONOLAYER PIPES FROM Ø90mm (3") TO Ø125mm (5") NIRON FITTINGS FROM Ø90mm (3") TO Ø450mm (18")



MADRID - SPAIN

AYRE ATOCHA HOTEL

SISTEMA
NIRON

AYRE ATOCHA HOTEL

NATION	SPAIN
CITY	MADRID
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	JULY 2016
MATERIALS USED	NIRON FIBER PIPES Ø125mm (5") NIRON CLIMA PIPES UP TO Ø110mm (4") NIRON FITTINGS UP TO Ø110mm (4")



FÈS - MOROCCO

EURO-MEDITERRANEAN UNIVERSITY

SISTEMA
NIRON

EURO-MEDITERRANEAN UNIVERSITY

NATION	MOROCCO
CITY	FÈS
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	JUNE 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES FROM Ø63mm (2") TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



BRUSSELS - BELGIUM

PULLMAN HOTEL

SISTEMA
NIRON

PULLMAN HOTEL

NATION	BELGIUM
CITY	BRUSSELS
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	MAY 2016
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



SANTA CRUZ - BOLIVIA

MONTERO HOSPITAL

SISTEMA
NIRON

MONTERO HOSPITAL

NATION	BOLIVIA
CITY	SANTA CRUZ
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON FITTINGS UP TO Ø200mm (8")



PANAMA CITY - PANAMA

LUXOR 300 APARTMENT BUILDING

SISTEMA
NIRON

LUXOR 300 APARTMENT BUILDING

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON MONOLAYER PIPES FROM Ø63mm (2") TO Ø110mm (4") NIRON FITTINGS FROM Ø63mm (2") TO Ø110mm (4")



PANAMA CITY - PANAMA

COSTA DEL ESTE SHOPPING MALL

SISTEMA
NIRON

COSTA DEL ESTE SHOPPING MALL

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON CLIMA PIPES FROM Ø160mm (6") TO Ø450mm (18") NIRON FITTINGS FROM Ø160mm (6") TO Ø450mm (18")



PORT AU PRINCE - HAITI

PROVINCIAL HOSPITAL

SISTEMA
NIRON

PROVINCIAL HOSPITAL

NATION	HAITI
CITY	PORT AU PRINCE
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON FIBER PIPES Ø125mm (5") NIRON MONOLAYER PIPES UP TO Ø110mm (4") NIRON FITTINGS UP TO Ø125mm (5")



LA PAZ - BOLIVIA

TORRES DEL POETA APARTMENT BUILDINGS

SISTEMA
NIRON

TORRES DEL POETA APARTMENT BUILDINGS

NATION	BOLIVIA
CITY	LA PAZ
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø250mm (10")



SAN JOSÉ DE DAVID - PANAMA

RAFAEL HOSPITAL

SISTEMA
NIRON

RAFAEL HOSPITAL

NATION	PANAMA
CITY	SAN JOSÉ DE DAVID
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NIRON PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



PANAMA CITY - PANAMA

DELUXE RESIDENCE APARTMENT BUILDINGS

SISTEMA
NIRON

DELUXE RESIDENCE APARTMENT BUILDINGS

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø250mm (10")



PANAMA CITY - PANAMA

TOCUMEN INTERNATIONAL AIRPORT

SISTEMA
NIRON

TOCUMEN INTERNATIONAL AIRPORT

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



HAMPTON BY HILTON HOTEL

NATION	DOMINICAN REPUBLIC
CITY	BOCA CHICA
APPLICATION	AIR CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



LA PAZ - BOLIVIA

MINISTRY OF ECONOMY

SISTEMA
NIRON

MINISTRY OF ECONOMY

NATION	BOLIVIA
CITY	LA PAZ
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON FITTINGS UP TO Ø250mm (10")



ALCALÁ DE HENARES - SPAIN

LIDL LOGISTICS CENTER

SISTEMA
NIRON

LIDL LOGISTICS CENTER

NATION	SPAIN
CITY	ALCALÁ DE HENARES
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NIRON FIBER PIPES Ø125mm (5") NIRON FITTINGS Ø125mm (5")



PANAMA CITY - PANAMA

LA CONCORDIA BOUTIQUE HOTEL

SISTEMA
NIRON

LA CONCORDIA BOUTIQUE HOTEL

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø110mm (4") NIRON FITTINGS UP TO Ø110mm (4")



PANAMA CITY - PANAMA

EL MARE APARTMENT BUILDINGS

SISTEMA
NIRON

EL MARE APARTMENT BUILDINGS

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



PANAMA CITY - PANAMA

ELITE 500 APARTMENT BUILDING

SISTEMA
NIRON

ELITE 500 APARTMENT BUILDING

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	NIRON PIPES UP TO Ø200mm (8") NIRON FITTINGS UP TO Ø200mm (8")



MSIDA - MALTA

MATER DEI HOSPITAL

SISTEMA
NIRON

MATER DEI HOSPITAL

NATION	MALTA
CITY	MSIDA
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	MAY 2015
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



LIMA - PERU

COURTYARD MARRIOTT MIRAFLORES HOTEL

SISTEMA
NIRON

COURTYARD MARRIOTT MIRAFLORES HOTEL

NATION	PERU
CITY	LIMA
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	APRIL 2015
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



VALLADOLID - SPAIN

VALLADOLID UNIVERSITY

SISTEMA
NIRON

VALLADOLID UNIVERSITY

NATION	SPAIN
CITY	VALLADOLID
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2015
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")



BARCELONA - SPAIN

FRONT MARITIM HOTEL

SISTEMA
NIRON

FRONT MARITIM HOTEL

NATION	SPAIN
CITY	BARCELONA
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2015
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")



VALLETTA - MALTA

MALTA PARLIAMENT BUILDING

SISTEMA
NIRON

MALTA PARLIAMENT BUILDING

NATION	MALTA
CITY	VALLETTA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2015
MATERIALS USED	NIRON CLIMA PIPES FROM Ø20mm (½") TO Ø315mm (12") NIRON PIPES FROM Ø20mm (½") TO Ø125mm (5") NIRON FITTINGS FROM Ø20mm (½") TO Ø315mm (12")



LA PITA - PANAMA

RIBA SMITH LOGISTICS CENTER

SISTEMA
NIRON

RIBA SMITH LOGISTICS CENTER

NATION	PANAMA
CITY	LA PITA
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	MAY 2014
MATERIALS USED	NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø125mm (5")



GONAÎVES - HAITI

LA PROVIDENCE HOSPITAL

SISTEMA
NIRON

LA PROVIDENCE HOSPITAL

NATION	HAITI
CITY	GONAÎVES
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2014
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



PANAMA CITY - PANAMA

CIUDAD DE LA SALUD HOSPITAL

SISTEMA
NIRON

CIUDAD DE LA SALUD HOSPITAL

NATION	PANAMA
CITY	PANAMA CITY
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	APRIL 2014
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



BILBAO - SPAIN

ARRIAGA THEATER

SISTEMA
NIRON

ARRIAGA THEATER

NATION	SPAIN
CITY	BILBAO
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2014
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON ELECTROFUSION FITTINGS UP TO Ø200mm (8")



BARCELONA - SPAIN

WELLINGTON APARTMENT BUILDING

SISTEMA
NIRON

WELLINGTON APARTMENT BUILDING

NATION	SPAIN
CITY	BARCELONA
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2014
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



SANT SADURNÍ D'ANOIA - SPAIN

FREIXENET WINE CELLAR

SISTEMA
NIRON

FREIXENET WINE CELLAR

NATION	SPAIN
CITY	SANT SADURNÍ D'ANOIA (BARCELONA)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2013
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")




SEVILLE - SPAIN

CAJASOL TOWER

SISTEMA
NIRON

CAJASOL TOWER

NATION	SPAIN
CITY	SEVILLE
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2013
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")



BARCELONA - SPAIN

INSTITUTE OF ONCOLOGY OF CATALONIA

SISTEMA
NIRON

INSTITUTE OF ONCOLOGY OF CATALONIA

NATION	SPAIN
CITY	BARCELONA
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	APRIL 2013
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø125mm (5") NIRON ELECTROFUSION FITTINGS UP TO Ø125mm (5")




BRUSSELS - BELGIUM

EUROPEAN SCHOOL OF BRUSSELS

SISTEMA
NIRON

EUROPEAN SCHOOL OF BRUSSELS

NATION	BELGIUM
CITY	BRUSSELS
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MAY 2012
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø200mm (8") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø200mm (8")



HAMRUN - MALTA


DANIELS SHOPPING MALL

SISTEMA
NIRON

DANIELS SHOPPING MALL

NATION	MALTA
CITY	HAMRUN
APPLICATION	AIR-CONDITIONING SYSTEM PLUMBING SYSTEM
COMPLETION DATE	MARCH 2012
MATERIALS USED	NIRON CLIMA PIPES UP TO Ø250mm (10") NIRON MONOLAYER PIPES UP TO Ø125mm (5") NIRON FITTINGS UP TO Ø250mm (10")





MODENA - ITALY

GUICCIARDINI SENIOR HOUSING

SISTEMA

NIRON β

GUICCIARDINI SENIOR HOUSING

NATION

ITALY

CITY

MODENA

APPLICATION

AIR CONDITIONING SYSTEM

COMPLETION DATE

MAY 2018

MATERIALS USED

NIRON PP-RCT PIPES Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4"), Ø160mm (6")

NIRON PRE-INSULATED PP-RCT PIPES Ø160mm (6")

NIRON PP-RCT FITTINGS Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4"), Ø160mm (6")



SALT LAKE CITY - UTAH

SKY HOUSE APARTMENTS

SISTEMA
NIRON β

SKY HOUSE APARTMENTS

NATION	UNITED STATES
CITY	SALT LAKE CITY (UTAH)
APPLICATION	DOMESTIC WATER SYSTEM
COMPLETION DATE	MAY 2018
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø63mm (2") TO Ø110mm (4") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø110mm (4")



SANFORD - FLORIDA

SEMINOLE STATE COLLEGE

SISTEMA
NIRON_β

SEMINOLE STATE COLLEGE

NATION UNITED STATES

CITY SANFORD (FLORIDA)

APPLICATION COOLING TOWER LINES

COMPLETION DATE MAY 2018

MATERIALS USED NIRON PP-RCT PIPES Ø200mm (8"), Ø400mm (16")
NIRON PP-RCT FITTINGS Ø200mm (8"), Ø400mm (16")



ELK RIVER - MINNESOTA

GUARDIAN ANGELS SENIOR HOUSING

SISTEMA

NIRON β

GUARDIAN ANGELS SENIOR HOUSING

NATION	UNITED STATES
CITY	ELK RIVER (MINNESOTA)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø125mm (5") NIRON PP-RCT FITTINGS Ø63mm (2"), Ø90mm (3"), Ø125mm (5")



SAINT PAUL - MINNESOTA

WAREHOUSE RENOVATION

SISTEMA
NIRON_β

WAREHOUSE RENOVATION

NATION	UNITED STATES
CITY	SAINT PAUL (MINNESOTA)
APPLICATION	HVAC SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



LUDLOW - VERMONT

IMERYSTALC INDUSTRIAL PLANT

SISTEMA

NIRON β

IMERYSTALC INDUSTRIAL PLANT

NATION UNITED STATES

CITY LUDLOW (VERMONT)

APPLICATION CHILLED WATER SYSTEM
HVAC SYSTEM
COMPRESSED AIR SYSTEM

COMPLETION DATE MARCH 2018

MATERIALS USED NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8")
NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



SALISBURY - NORTH CAROLINA

VERSA TEK INDUSTRIAL PLANT

SISTEMA
NIRON β

VERSA TEK INDUSTRIAL PLANT

NATION	UNITED STATES
CITY	SALISBURY (NORTH CAROLINA)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø125mm (5") NIRON PP-RCT FITTINGS Ø63mm (2"), Ø90mm (3"), Ø125mm (5")



BLOOMINGTON - MINNESOTA

APARTMENT BUILDING

SISTEMA
NIRON β

APARTMENT BUILDING

NATION UNITED STATES

CITY BLOOMINGTON (MINNESOTA)

APPLICATION HEATING SYSTEM

COMPLETION DATE MARCH 2018

MATERIALS USED NIRON CLIMA PP-RCT PIPES FROM Ø90mm (3") TO Ø200mm (8")
NIRON PP-RCT FITTINGS FROM Ø90mm (3") TO Ø200mm (8")



LUXURY HOME

NATION	UNITED STATES
CITY	MINNEAPOLIS (MINNESOTA)
APPLICATION	SNOWMELT SYSTEM
COMPLETION DATE	FEBRUARY 2018
MATERIALS USED	NIRON PP-RCT PIPES Ø110mm (4"), Ø125mm (5") NIRON PP-RCT FITTINGS Ø110mm (4"), Ø125mm (5")



LINCOLN - NEBRASKA

JETWASH CARWASH

SISTEMA

NIRON β

JETWASH CARWASH

NATION	UNITED STATES
CITY	LINCOLN (NEBRASKA)
APPLICATION	DOMESTIC COLD WATER SYSTEM
COMPLETION DATE	FEBRUARY 2018
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø75mm (2 ½") NIRON PP-RCT FITTINGS Ø75mm (2 ½")



GREENVILLE - NORTH CAROLINA

EAST CAROLINA UNIVERSITY

SISTEMA

NIRON β

EAST CAROLINA UNIVERSITY

NATION	UNITED STATES
CITY	GREENVILLE (NORTH CAROLINA)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



WESTMONT - ILLINOIS

NAPLETON WESTMONT PORSCHE DEALER

SISTEMA

NIRON_β

NAPLETON WESTMONT PORSCHE DEALER

NATION	UNITED STATES
CITY	WESTMONT (ILLINOIS)
APPLICATION	SNOWMELT SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON PP-RCT PIPES Ø63mm (2") NIRON PP-RCT FITTINGS Ø63mm (2")



GARDNER - MASSACHUSETTS WAKEFIELD PLACE LUXURY APARTMENT BUILDING

SISTEMA

NIRON^β

WAKEFIELD PLACE LUXURY APARTMENT BUILDING

NATION	UNITED STATES
CITY	GARDNER (MASSACHUSETTS)
APPLICATION	DOMESTIC HOT AND COLD WATER SYSTEM
COMPLETION DATE	OCTOBER 2017
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



BOLINGBROOK - ILLINOIS

WEATHER TECH INDUSTRIAL PLANT

SISTEMA

NIRON_β

WEATHER TECH INDUSTRIAL PLANT

NATION	UNITED STATES
CITY	BOLINGBROOK (ILLINOIS)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	SEPTEMBER 2017
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



NEW YORK CITY - NEW YORK

RENT THE RUNWAY WAREHOUSE

SISTEMA

NIRON β

RENT THE RUNWAY WAREHOUSE

NATION	UNITED STATES
CITY	NEW YORK CITY (NEW YORK)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	AUGUST 2017
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



SAINT CLOUD - MINNESOTA

APOLLO HIGH SCHOOL

SISTEMA

NIRON β

APOLLO HIGH SCHOOL

NATION

UNITED STATES

CITY

SAINT CLOUD (MINNESOTA)

APPLICATION

AIR-CONDITIONING SYSTEM

COMPLETION DATE

JULY 2017

MATERIALS USED

NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø125mm (5")
NIRON PP-RCT FITTINGS Ø63mm (2"), Ø90mm (3"), Ø125mm (5")



SOMERVILLE - MASSACHUSETTS

ALLOY AT ASSEMBLY ROW

SISTEMA
NIRON β

ALLOY AT ASSEMBLY ROW

NATION	UNITED STATES
CITY	SOMERVILLE (MASSACHUSETTS)
APPLICATION	DOMESTIC HOT AND COLD WATER SYSTEM
COMPLETION DATE	JUNE 2017
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



CHESTNUT HILL - MASSACHUSETTS

CONTE FORUM - BOSTON COLLEGE

SISTEMA

NIRON β

CONTE FORUM - BOSTON COLLEGE

NATION	UNITED STATES
CITY	CHESTNUT HILL (MASSACHUSETTS)
APPLICATION	COOLING TOWER LINES
COMPLETION DATE	JUNE 2017
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



OXFORD - MASSACHUSETTS

IPG PHOTONICS INDUSTRIAL PLANT

SISTEMA

NIRON β

IPG PHOTONICS INDUSTRIAL PLANT

NATION UNITED STATES

CITY OXFORD (MASSACHUSETTS)

APPLICATION CHILLED WATER SYSTEM

COMPLETION DATE MAY 2017

MATERIALS USED

NIRON CLIMA PP-RCT PIPES Ø315mm (12"), Ø355mm (14"), Ø500mm (20"), Ø560mm (22")

NIRON PP-RCT FITTINGS Ø315mm (12"), Ø355mm (14"), Ø500mm (20"), Ø560mm (22")



LEBANON - CONNECTICUT

ANSYS INDUSTRIAL PLANT

SISTEMA

NIRON β

ANSYS INDUSTRIAL PLANT

NATION UNITED STATES

CITY LEBANON (CONNECTICUT)

APPLICATION COOLING TOWER LINES

COMPLETION DATE MAY 2017

MATERIALS USED NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø160mm (6")
NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø160mm (6")



KENNEBUNK - MAINE

KENNEBUNK HIGH SCHOOL

SISTEMA

NIRON β

KENNEBUNK HIGH SCHOOL

NATION UNITED STATES

CITY KENNEBUNK (MAINE)

APPLICATION CHILLED WATER SYSTEM

COMPLETION DATE APRIL 2017

MATERIALS USED NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø125mm (5")
NIRON PP-RCT FITTINGS Ø63mm (2"), Ø90mm (3"), Ø125mm (5")



CAMBRIDGE - MASSACHUSETTS

HARVARD MEDICAL SCHOOL

SISTEMA

NIRON β

HARVARD MEDICAL SCHOOL

NATION UNITED STATES

CITY CAMBRIDGE (MASSACHUSETTS)

APPLICATION HVAC SYSTEM

COMPLETION DATE MARCH 2017

MATERIALS USED

NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8")

NIRON PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8")

NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



WICHITA FALLS - TEXAS

SHEPPARD AIR FORCE BASE

SISTEMA

NIRON^β

SHEPPARD AIR FORCE BASE

NATION	UNITED STATES
CITY	WICHITA FALLS (TEXAS)
APPLICATION	HVAC SYSTEM DOMESTIC HOT WATER SYSTEM
COMPLETION DATE	MARCH 2017
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø20mm (½"), Ø25mm (¾"), Ø75mm (2 ½"), Ø160mm (6") NIRON PP-RCT PIPES FROM Ø20mm (½") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø20mm (½") TO Ø200mm (8")



MARLBOROUGH - MASSACHUSETTS

IPG PHOTONICS INDUSTRIAL PLANT

SISTEMA

NIRON β

IPG PHOTONICS INDUSTRIAL PLANT

NATION	UNITED STATES
CITY	MARLBOROUGH (MASSACHUSETTS)
APPLICATION	COOLING TOWER LINES AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø110mm (4"), Ø160mm (6"), Ø200mm (8") NIRON PP-RCT FITTINGS Ø63mm (2"), Ø110mm (4"), Ø160mm (6"), Ø200mm (8")



CHARLESTON - SOUTH CAROLINA

HISTORIC ANDERSON HOUSE

SISTEMA

NIRON^β

HISTORIC ANDERSON HOUSE

NATION	UNITED STATES
CITY	CHARLESTON (SOUTH CAROLINA)
APPLICATION	AIR-CONDITIONING SYSTEM HEATING SYSTEM
COMPLETION DATE	NOVEMBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø20mm (½") TO Ø110mm (4") NIRON PP-RCT FITTINGS FROM Ø20mm (½") TO Ø110mm (4")



CHICAGO - ILLINOIS

ROSENWALD COURTS HISTORIC APARTMENT BUILDING

SISTEMA

NIRON_β

ROSENWALD COURTS HISTORIC APARTMENT BUILDING

NATION	UNITED STATES
CITY	CHICAGO (ILLINOIS)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø20mm (½") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø20mm (½") TO Ø200mm (8")



ROCKFORD - ILLINOIS

WESLEY WILLOWS SENIOR HOUSING

SISTEMA

NIRON β

WESLEY WILLOWS SENIOR HOUSING

NATION	UNITED STATES
CITY	ROCKFORD (ILLINOIS)
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø125mm (5") NIRON PP-RCT FITTINGS Ø63mm (2"), Ø90mm (3"), Ø125mm (5")



WASILLA - ALASKA

MAT-SU REGIONAL MEDICAL CENTER

SISTEMA

NIRON β

MAT-SU REGIONAL MEDICAL CENTER

NATION	UNITED STATES
CITY	WASILLA (ALASKA)
APPLICATION	DOMESTIC HOT WATER SYSTEM
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø25mm (¾") TO Ø110mm (4") NIRON PP-RCT FITTINGS FROM Ø25mm (¾") TO Ø110mm (4")



CAMBRIDGE - MASSACHUSETTS HARVARD RADCLIFFE INSTITUTE FOR ADVANCED STUDY

SISTEMA
NIRON β

HARVARD RADCLIFFE INSTITUTE FOR ADVANCED STUDY

NATION	UNITED STATES
CITY	CAMBRIDGE (MASSACHUSETTS)
APPLICATION	CHILLED WATER SYSTEM
COMPLETION DATE	SEPTEMBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



KITTERY - MAINE

PORTSMOUTH NAVAL SHIPYARD

SISTEMA

NIRON β

PORTSMOUTH NAVAL SHIPYARD

NATION	UNITED STATES
CITY	KITTERY (MAINE)
APPLICATION	CHILLED WATER SYSTEM HVAC SYSTEM
COMPLETION DATE	SEPTEMBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



EARLY BRANCH - SOUTH CAROLINA

NUPI AMERICAS INDUSTRIAL PLANT

SISTEMA
NIRON β

NUPI AMERICAS INDUSTRIAL PLANT

NATION	UNITED STATES
CITY	EARLY BRANCH (SOUTH CAROLINA)
APPLICATION	IHVAC SYSTEM
COMPLETION DATE	SEPTEMBER 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



DUTCH HARBOR - UNALASKA, ALASKA


APARTMENT BUILDING

SISTEMA

NIRON β

APARTMENT BUILDING

NATION	UNITED STATES
CITY	DUTCH HARBOR (UNALASKA, ALASKA)
APPLICATION	DOMESTIC HOT WATER SYSTEM
COMPLETION DATE	AUGUST 2016
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø25mm (¾") TO Ø90mm (3") NIRON PP-RCT FITTINGS FROM Ø25mm (¾") TO Ø90mm (3")



ANDOVER - MASSACHUSETTS

PHILLIPS ANDOVER ACADEMY

SISTEMA

NIRON β

PHILLIPS ANDOVER ACADEMY

NATION UNITED STATES

CITY ANDOVER (MASSACHUSETTS)

APPLICATION CHILLED WATER SYSTEM
DOMESTIC HOT WATER SYSTEM

COMPLETION DATE AUGUST 2017

MATERIALS USED

NIRON PP-RCT PIPES FROM Ø25mm (¾") TO Ø90mm (3")

NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø200mm (8")

NIRON PP-RCT FITTINGS FROM Ø25mm (¾") TO Ø200mm (8")



BOSTON - MASSACHUSETTS

DOWNEAST CIDER HOUSE

SISTEMA

NIRON β

DOWNEAST CIDER HOUSE

NATION	UNITED STATES
CITY	BOSTON (MASSACHUSETTS)
APPLICATION	GLYCOL CHILLED LINES COMPRESSED AIR SYSTEM
COMPLETION DATE	JULY 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø90mm (3"), Ø160mm (6") NIRON PP-RCT FITTINGS 63mm, Ø90mm (3"), Ø160mm (6")



NEW ORLEANS - LOUISIANA

SHERWOOD FOREST ELEMENTARY SCHOOL

SISTEMA

NIRON β

SHERWOOD FOREST ELEMENTARY SCHOOL

NATION	UNITED STATES
CITY	NEW ORLEANS (LOUISIANA)
APPLICATION	AIR-CONDITIONING SYSTEM DOMESTIC HOT AND COLD WATER SYSTEM
COMPLETION DATE	JUNE 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø160mm (6") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø160mm (6")



NEW ORLEANS - LOUISIANA


PAUL HABANS CHARTER SCHOOL

SISTEMA

NIRON_β

PAUL HABANS CHARTER SCHOOL

NATION	UNITED STATES
CITY	NEW ORLEANS (LOUISIANA)
APPLICATION	AIR-CONDITIONING SYSTEM DOMESTIC HOT AND COLD WATER SYSTEM
COMPLETION DATE	JUNE 2016
MATERIALS USED	NIRON CLIMA PP-RCT PIPES FROM Ø63mm (2") TO Ø160mm (6") NIRON PP-RCT FITTINGS FROM Ø63mm (2") TO Ø160mm (6")



ALBANY - NEW YORK

ALBANY MEDICAL CENTER HOSPITAL

SISTEMA

NIRON β

ALBANY MEDICAL CENTER HOSPITAL

NATION UNITED STATES

CITY ALBANY (NEW YORK)

APPLICATION COOLING TOWER LINES
CHILLED WATER SYSTEM

COMPLETION DATE MAY 2016

MATERIALS USED

NIRON CLIMA PP-RCT PIPES Ø63mm (2"), Ø110mm (4"), Ø160mm (6"), Ø355mm (14")

NIRON PP-RCT FITTINGS Ø63mm (2"), Ø110mm (4"), Ø160mm (6"), Ø355mm (14")



ALTUS - OKLAHOMA

ALTUS AIR FORCE BASE

SISTEMA
NIRON^β

ALTUS AIR FORCE BASE

NATION	UNITED STATES
CITY	ALTUS (OKLAHOMA)
APPLICATION	CHILLED WATER SYSTEM HYDRONIC SYSTEM
COMPLETION DATE	AUGUST 2015
MATERIALS USED	NIRON PP-RCT PIPES FROM Ø25mm (¾") TO Ø160mm (6") NIRON PP-RCT FITTINGS Ø25mm (¾") TO Ø160mm (6")





PolySYSTEM

DUBAI - UNITED ARAB EMIRATES

ATLANTIS THE PALM HOTEL

PolySYSTEM

ATLANTIS THE PALM HOTEL

NATION	UNITED ARAB EMIRATES
CITY	DUBAI
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2016
MATERIALS USED	POLYSYSTEM CLIMA PIPES UP TO Ø315mm (12") POLYSYSTEM ELECTROFUSION FITTINGS UP TO Ø315mm (12")



DUBAI - UNITED ARAB EMIRATES

LAPITA HOTEL

PolySYSTEM

LAPITA HOTEL

NATION

UNITED ARAB EMIRATES

CITY

DUBAI

APPLICATION

PLUMBING SYSTEM

COMPLETION DATE

FEBRUARY 2016

MATERIALS USED

POLYSYSTEM PIPES FROM Ø75mm (2 ½") TO Ø125mm (5")

POLYSYSTEM ELECTROFUSION FITTINGS FROM Ø75mm (2 ½") TO Ø125mm (5")



ABU DHABI - UNITED ARAB EMIRATES

LOUVRE MUSEUM

PolySYSTEM

LOUVRE MUSEUM

NATION	UNITED ARAB EMIRATES
CITY	ABU DHABI
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	MAY 2015
MATERIALS USED	POLYSYSTEM FG PIPES UP TO Ø200mm (8") POLYSYSTEM ELECTROFUSION FITTINGS UP TO Ø200mm (8")



DUBAI - UNITED ARAB EMIRATES

APARTMENT BUILDINGS

PolySYSTEM

APARTMENT BUILDINGS

NATION UNITED ARAB EMIRATES


CITY DUBAI

APPLICATION PLUMBING SYSTEM

COMPLETION DATE OCTOBER 2013

MATERIALS USED POLYSYSTEM FG PIPES UP TO Ø200mm (8")
POLYSYSTEM ELECTROFUSION FITTINGS UP TO Ø200mm (8")





BUSTO ARSIZIO (VA) - ITALY

NUPI INDUSTRIE ITALIANE INDUSTRIAL PLANT

NIRON
PREISOLATO

NUPI INDUSTRIE ITALIANE INDUSTRIAL PLANT

NATION	ITALY
CITY	BUSTO ARSIZIO (VA)
APPLICATION	CHILLED WATER SYSTEM
COMPLETION DATE	APRIL 2018
MATERIALS USED	NIRON CLIMA PRE-INSULATED PIPES Ø90mm (3"), 110mm (4"), 160mm (6"), 200mm (8") NIRON FITTINGS Ø90mm (3"), 110mm (4"), 160mm (6"), 200mm (8")



PLAYA MUJERES - MEXICO

GRAND PALLADIUM COSTA MUJERES RESORT & SPA

NIRON
PREISOLATO

GRAND PALLADIUM COSTA MUJERES RESORT & SPA

NATION	MEXICO
CITY	PLAYA MUJERES
APPLICATION	AIR-CONDITIONING SYSTEM
COMPLETION DATE	NOVEMBER 2017
MATERIALS USED	NIRON CLIMA PRE-INSULATED PIPES UP TO Ø200mm (8") NIRON ELECTROFUSION FITTINGS UP TO Ø200mm (8")



CASTEL GUELFO (BO) - ITALY

NUPI INDUSTRIE ITALIANE INDUSTRIAL PLANT

NIRON
PREISOLATO

NUPI INDUSTRIE ITALIANE INDUSTRIAL PLANT

NATION	ITALY
CITY	CASTEL GUELFO (BO)
APPLICATION	CHILLED WATER SYSTEM
COMPLETION DATE	JUNE 2016
MATERIALS USED	NIRON CLIMA PRE-INSULATED PIPES Ø 200mm (8") NIRON ELECTROFUSION COUPLERS AND ELBOWS Ø200mm (8")



PALMA DE MALLORCA - SPAIN

ROBINSON CLUB CALA SERENA HOTEL

NIRON
PREISOLATO

ROBINSON CLUB CALA SERENA HOTEL

NATION SPAIN

CITY PALMA DE MALLORCA

APPLICATION DISTRICT HEATING SYSTEM
CHILLED WATER SYSTEM

COMPLETION DATE MARCH 2016

MATERIALS USED

NIRON CLIMA PRE-INSULATED PIPES FROM Ø75mm (2 ½")
TO Ø110mm (4")

NIRON FITTINGS FROM Ø75mm (2 ½") TO Ø110mm (4")



CASTEL MAGGIORE (BO) - ITALY

UGO LA MALFA APARTMENT BUILDING

NIRON
PREISOLATO

UGO LA MALFA APARTMENT BUILDING

NATION	ITALY
CITY	CASTEL MAGGIORE (BO)
APPLICATION	PLUMBING SYSTEM
COMPLETION DATE	JUNE 2015
MATERIALS USED	NIRON FG PRE-INSULATED PIPES UP TO Ø110mm (4") NIRON FITTINGS UP TO Ø110mm (4")



SALERNO - ITALY

UNIVERSITY OF SALERNO

NIRON
PREISOLATO

UNIVERSITY OF SALERNO

NATION ITALY

CITY SALERNO

APPLICATION COOLING AND HEATING SYSTEM

COMPLETION DATE APRIL 2015

MATERIALS USED

NIRON CLIMA PRE-INSULATED PIPES FROM Ø75mm (2 ½")
TO Ø110mm (4")

NIRON FITTINGS FROM Ø75mm (2 ½") TO Ø110mm (4")



MINAS DE RIOTINTO (HUELVA) - SPAIN

RIOTINTO GENERAL HOSPITAL

NIRON
PREISOLATO

RIOTINTO GENERAL HOSPITAL

NATION	SPAIN
CITY	MINAS DE RIOTINTO (HUELVA)
APPLICATION	DOMESTIC HOT WATER SYSTEM
COMPLETION DATE	AUGUST 2014
MATERIALS USED	NIRON FG PRE-INSULATED PIPES Ø32mm (1"), Ø50mm (1 ½"), Ø160mm (6") NIRON FITTINGS Ø32mm (1"), Ø50mm (1 ½"), Ø160mm (6")



SOLOMEO (PG) - ITALY

BRUNELLO CUCINELLI INDUSTRIAL PLANT

NIRON
PREISOLATO

BRUNELLO CUCINELLI INDUSTRIAL PLANT

NATION	ITALY
CITY	SOLOMEO (PG)
APPLICATION	CHILLED WATER SYSTEM
COMPLETION DATE	JUNE 2012
MATERIALS USED	NIRON CLIMA PRE-INSULATED PIPES UP TO Ø250mm (10") NIRON FITTINGS UP TO Ø250mm (10")





5

EloFIT
PoliētilēnētUBI

BOLLATE (MI) - ITALY

PIRELLI INDUSTRIAL PLANT

EloFIT PolietileneTUBI

PIRELLI INDUSTRIAL PLANT

NATION

ITALY

CITY

BOLLATE (MI)

APPLICATION

FIRE-FIGHTING SYSTEM

COMPLETION DATE

MAY 2018

MATERIALS USED

NADIR PE100 POLYETHYLENE PIPES Ø90mm (3"), Ø125mm (5"), Ø200mm (8"), Ø250mm (10")

ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø90mm (3"), Ø125mm (5"), Ø200mm (8"), Ø250mm (10")



STRESA (VB) - ITALY

CITY OF STRESA

PoliEtilenETUBI

CITY OF STRESA

NATION	ITALY
CITY	STRESA (VB)
APPLICATION	SEWERAGE SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	POLYETHYLENE PIPES Ø800mm (32")



DUBAI - UNITED ARAB EMIRATES

MSC SPLENDIDA CRUISE SHIP

EloFIT

MSC SPLENDIDA CRUISE SHIP


NATION	UNITED ARAB EMIRATES
CITY	DUBAI
APPLICATION	COLD WATER SUPPLY SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	ELOFIT HDPE ELECTROFUSION FITTINGS FROM Ø32mm (1") TO Ø250mm (10")



PoliETileneTUBI

CITY OF PIACENZA

NATION	ITALY
CITY	PIACENZA
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	MARCH 2018
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø500mm (20")



NEW YORK - UNITED STATES

QUEENS

EloFIT

QUEENS

NATION	UNITED STATES
CITY	NEW YORK
APPLICATION	GAS PIPELINE REPAIR
COMPLETION DATE	OCTOBER 2017
MATERIALS USED	ELOFIT HDPE REPAIR FITTINGS Ø315mm (12")



ZINGONIA (BG) - ITALY

BASF INDUSTRIAL PLANT

EloFIT PolietileneTUBI

BASF INDUSTRIAL PLANT

NATION	ITALY
CITY	ZINGONIA (BG)
APPLICATION	COOLING TOWER LINES
COMPLETION DATE	SEPTEMBER 2017
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø355mm (14") ELOFIT HDPE FITTINGS Ø355mm (14")



NIZHNY NOVGOROD - RUSSIA

ANKUDINOVSKIY PARK APARTMENT BUILDINGS

EloFIT

ANKUDINOVSKIY PARK APARTMENT BUILDINGS

NATION	RUSSIA
CITY	NIZHNY NOVGOROD
APPLICATION	WATER SUPPLY SYSTEM SEWERAGE SYSTEM
COMPLETION DATE	APRIL 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø110mm (4"), Ø160mm (6"), Ø225mm (9"), Ø315mm (12"), Ø500mm (20"), Ø630mm (24")



KIROV - RUSSIA

ČISTYE PRUDY APARTMENT BUILDINGS

EloFIT

ČISTYE PRUDY APARTMENT BUILDINGS

NATION	RUSSIA
CITY	KIROV
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	APRIL 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS FROM Ø63mm (2") TO Ø225mm (9")



KIROVO-ČEPECK - RUSSIA

MINERAL FERTILIZERS PRODUCTION PLANT

EloFIT

MINERAL FERTILIZERS PRODUCTION PLANT

NATION	RUSSIA
CITY	KIROVO-ČEPECK
APPLICATION	WATER SUPPLY SYSTEM SEWERAGE SYSTEM
COMPLETION DATE	MAY 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS FROM Ø63mm (2") TO Ø315mm (12")



ČEBOKSARY - RUSSIA

OLIMP APARTMENT BUILDINGS

EloFIT

OLIMP APARTMENT BUILDINGS

NATION	RUSSIA
CITY	ČEBOKSARY
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	JUNE 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS FROM Ø63mm (2") TO Ø225mm (9")



NIZHNY NOVGOROD - RUSSIA

FIFA WORLD CUP 2018 STADIUM

EloFIT

FIFA WORLD CUP 2018 STADIUM

NATION	RUSSIA
CITY	NIZHNY NOVGOROD
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	SEPTEMBER 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø90mm (3"), Ø110mm (4"), Ø160mm (6"), Ø250mm (10"), Ø315mm (12")



SYZRAN - RUSSIA

OIL REFINERY

EloFIT

OIL REFINERY

NATION	RUSSIA
CITY	SYZRAN
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	SEPTEMBER 2017
MATERIALS USED	ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS FROM Ø90mm (3") TO Ø315mm (12")



BACENO (VB) - ITALY

CITY OF BACENO

EloFIT PolietileneTUBI

CITY OF BACENO

NATION	ITALY
CITY	BACENO (VB)
APPLICATION	WATER SUPPLY SYSTEM FOR HYDROELECTRIC POWER PLANT
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø250mm (10") ELOFIT HDPE FITTINGS Ø250mm (10")



FLORENCE - ITALY

TORREGIANI ARNO EMBANKMENT

EloFIT PolietileneTUBI

TORREGIANI ARNO EMBANKMENT

NATION	ITALY
CITY	FLORENCE
APPLICATION	WATER SUPPLY SYSTEM REPAIR
COMPLETION DATE	MAY 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø110mm (4"), Ø125mm (5") ELOFIT HDPE FITTINGS Ø110mm (4"), Ø125mm (5")



FUSINA (VE) - ITALY

ALCOA INDUSTRIAL PLANT

EloFIT PolietileneTUBI

ALCOA INDUSTRIAL PLANT

NATION	ITALY
CITY	FUSINA (VE)
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø280mm (11") ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø280mm (11")



PASSO CORESE (RI) - ITALY

AMAZON ITALY LOGISTICS PLANT

EloFIT PolietileneTUBI

AMAZON ITALY LOGISTICS PLANT

NATION	ITALY
CITY	PASSO CORESE (RI)
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø63mm (2"), Ø110mm (4"), Ø125mm (5"), Ø160mm (6"), Ø250mm (10"), Ø315mm (12") ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø63mm (2"), Ø110mm (4"), Ø125mm (5"), Ø160mm (6"), Ø250mm (10"), Ø315mm (12")



BOLOGNA - ITALY

FICO EATALY WORLD AGRI-FOOD PARK

EloFIT PolietileneTUBI

FICO EATALY WORLD AGRI-FOOD PARK

NATION ITALY

CITY BOLOGNA

APPLICATION FIRE-FIGHTING SYSTEM

COMPLETION DATE MARCH 2016

MATERIALS USED

NADIR PE100 POLYETHYLENE PIPES Ø90mm (3"), Ø180mm (7"), Ø280mm (11"), Ø315mm (12")

ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø90mm (3"), Ø180mm (7"), Ø280mm (11"), Ø315mm (12")




BRUGHERIO (MI) - ITALY

CANDY HOOVER GROUP INDUSTRIAL PLANT

EloFIT PolietileneTUBI

CANDY HOOVER GROUP INDUSTRIAL PLANT

NATION	ITALY
CITY	BRUGHERIO (MI)
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø90mm (3"), Ø180mm (7"), Ø315mm (12") ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø90mm (3"), Ø180mm (7"), Ø315mm (12")



IMOLA (BO) - ITALY

TRE MONTI LANDFILL SITE

EloFIT PolietileneTUBI

TRE MONTI LANDFILL SITE

NATION	ITALY
CITY	IMOLA (BO)
APPLICATION	LEACHATE TRANSPORT SYSTEM
COMPLETION DATE	MARCH 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø160mm (6") PRE-INSULATED PE100 POLYETHYLENE PIPES Ø250mm (10") ELOFIT HDPE FITTINGS AND SPECIAL PARTS Ø160mm (6"), Ø250mm (10")



MESSINA - ITALY

MESSINA-PALERMO HIGHWAY

EloFIT PolietilenETUBI

MESSINA-PALERMO HIGHWAY

NATION	ITALY
CITY	MESSINA
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø125mm (5") ELOFIT HDPE FITTINGS AND SPECIAL PARTS Ø125mm (5")



ALTA VAL D'AGRI (PZ) - ITALY

LAND DEVELOPMENT CONSORTIUM

EloFIT PolietileneTUBI

LAND DEVELOPMENT CONSORTIUM

NATION	ITALY
CITY	ALTA VAL D'AGRI (PZ)
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	NADIR PLUS RC PE100 POLYETHYLENE PIPES Ø125mm (5") ELOFIT HDPE FITTINGS Ø125mm (5")



MARTORELL (BARCELONA) - SPAIN

SEAT INDUSTRIAL PLANT

EloFIT PolietilenETUBI

SEAT INDUSTRIAL PLANT

NATION SPAIN

CITY MARTORELL (BARCELONA)

APPLICATION FIRE-FIGHTING SYSTEM

COMPLETION DATE APRIL 2015

MATERIALS USED

NADIR PE100 POLYETHYLENE PIPES Ø110mm (4"), Ø200mm (8"), Ø250mm (10"), Ø355mm (14")
ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS
Ø110mm (4"), Ø200mm (8"), Ø250mm (10"), Ø355mm (14")



NITRA (BRATISLAVA) - SLOVAKIA

JAGUAR LAND ROVER INDUSTRIAL PLANT

EloFIT PolietilēnETUBI

JAGUAR LAND ROVER INDUSTRIAL PLANT

NATION	SLOVAKIA
CITY	NITRA (BRATISLAVA)
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	MARCH 2015

MATERIALS USED

NADIR PE100 POLYETHYLENE PIPES Ø90mm (3"), Ø125mm (5"), Ø180mm (7"), Ø280mm (11"), Ø315mm (12")
ELOFIT HDPE ELECTROFUSION AND BUTT FUSION FITTINGS Ø90mm (3"), Ø125mm (5"), Ø180mm (7"), Ø280mm (11"), Ø315mm (12")



ABU DHABI - UNITED ARAB EMIRATES

INTERNATIONAL AIRPORT

EloFIT PolietilenETUBI

INTERNATIONAL AIRPORT

NATION UNITED ARAB EMIRATES

CITY ABU DHABI

APPLICATION WATER SUPPLY SYSTEM

COMPLETION DATE APRIL 2014

MATERIALS USED NADIR PE100 POLYETHYLENE PIPES UP TO Ø400mm (16")
ELOFIT HDPE FITTINGS UP TO Ø400mm (16")



ROME - ITALY

PARCO DELLA MUSICA AUDITORIUM

EloFIT PolietileneTUBI

PARCO DELLA MUSICA AUDITORIUM

NATION	ITALY
CITY	ROME
APPLICATION	FIRE-FIGHTING SYSTEM
COMPLETION DATE	MARCH 2014
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø63mm (2"), Ø90mm (3"), Ø110mm (4") ELOFIT HDPE FITTINGS Ø63mm (2"), Ø90mm (3"), Ø110mm (4")



VENICE-ITALY

MOSE BARRIER

PoliEtenETUBI

MOSE BARRIER

NATION	ITALY
CITY	VENICE
APPLICATION	WATER/CEMENT MIXTURE TRANSPORT SYSTEM
COMPLETION DATE	OCTOBER 2013
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø90mm (3")



TRAPANI - ITALY

PORT OF TRAPANI

EloFIT PolietileneTUBI

PORT OF TRAPANI

NATION	ITALY
CITY	TRAPANI
APPLICATION	FIRE-FIGHTING SYSTEM REPLACEMENT
COMPLETION DATE	MAY 2013
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø355mm (14") ELOFIT HDPE TEES AND REDUCING TEES Ø355mm (14")



PÖLIETILENETUBI

DUBAI CITY DESERT

NATION	UNITED ARAB EMIRATES
CITY	DUBAI
APPLICATION	WATER SUPPLY SYSTEM
COMPLETION DATE	JULY 2012
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø90mm (3")



MANAMA - BAHRAIN

HARBOR SHOPPING MALL

EloFIT PolietilenETUBI

HARBOR SHOPPING MALL

NATION BAHRAIN

CITY MANAMA

APPLICATION WATER SUPPLY SYSTEM

COMPLETION DATE JULY 2012

MATERIALS USED

NADIR PE100 POLYETHYLENE PIPES Ø160mm (6"), Ø200mm (8"), Ø250mm (10")

ELOFIT HDPE FITTINGS Ø160mm (6"), Ø200mm (8"), Ø250mm (10")



PALERMO - ITALY

APARTMENT BUILDING

EloFIT PolietileneTUBI

APARTMENT BUILDING

NATION	ITALY
CITY	PALERMO
APPLICATION	DOMESTIC WATER SYSTEM
COMPLETION DATE	JUNE 2012
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø110mm (4") ELOFIT HDPE FITTINGS Ø110mm (4")



GENOA - ITALY

CITY OF GENOA

EloFIT PolietileneTUBI

CITY OF GENOA

NATION ITALY

CITY GENOA

APPLICATION GAS PIPELINE REPAIR

COMPLETION DATE MAY 2012

MATERIALS USED NUPIGAS SPECIAL POLYETHYLENE PIPES Ø490mm (19")
ELOFIT HDPE SPECIAL COUPLERS Ø490mm (19")



PADUA - ITALY

CITY OF PADUA

EloFIT

CITY OF PADUA

NATION	ITALY
CITY	PADUA
APPLICATION	GAS PIPELINE REPAIR
COMPLETION DATE	MARCH 2012
MATERIALS USED	ELOFIT HDPE SPECIAL PARTS Ø630mm (24")



SAN VIGILIO DI MAREBBE (BZ) - ITALY

CITY OF SAN VIGILIO DI MAREBBE

EloFIT PolietileneTUBI

CITY OF SAN VIGILIO DI MAREBBE

NATION	ITALY
CITY	SAN VIGILIO DI MAREBBE (BZ)
APPLICATION	WATER SUPPLY SYSTEM RENOVATION
COMPLETION DATE	MARCH 2011
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø950mm (38") ELOFIT HDPE SPECIAL COUPLERS Ø950mm (38")



PoliētilēnēTUBI

COAL MINE

NATION	CHINA
CITY	DATONG
APPLICATION	FIREDAMP GAS PIPELINE
COMPLETION DATE	FEBRUARY 2007
MATERIALS USED	NUPIGAS POLYETHYLENE PIPES Ø1000mm (40")





ULM - UNITED STATES

RURAL RESIDENTIAL AREA

Elamid

RURAL RESIDENTIAL AREA

NATION UNITED STATES

CITY ULM (MONTANA)

APPLICATION NATURAL GAS PIPELINE

COMPLETION DATE AUGUST 2012

MATERIALS USED

ELAMID PA-U 12 POLYAMIDE PIPES Ø32mm (1"), Ø63mm (2"), Ø110mm (4")

ELAMID ELECTROFUSION PA-U 12 POLYAMIDE FITTINGS Ø32mm (1"), Ø63mm (2"), Ø110mm (4")



MARIETTA - UNITED STATES

RURAL RESIDENTIAL AREA

Elamid

RURAL RESIDENTIAL AREA

NATION UNITED STATES

CITY MARIETTA (GEORGIA)

APPLICATION NATURAL GAS PIPELINE

COMPLETION DATE AUGUST 2014

MATERIALS USED

ELAMID PA-U 12 POLYAMIDE PIPES Ø32mm (1"), Ø63mm (2"), Ø110mm (4")

ELAMID ELECTROFUSION PA-U 12 POLYAMIDE FITTINGS Ø32mm (1"), Ø63mm (2"), Ø110mm (4")





EloSMART

PALERMO - ITALY


CIVIC HOSPITAL - DEPARTMENT OF ONCOLOGY


EloSMART

CIVIC HOSPITAL - DEPARTMENT OF ONCOLOGY

NATION	ITALY
CITY	PALERMO
APPLICATION	COLLECTION SYSTEM FOR RADIOTHERAPY MEDICINAL PRODUCT RESIDUALS
COMPLETION DATE	MARCH 2015
MATERIALS USED	NADIR PE100 POLYETHYLENE PIPES Ø110mm (4"), Ø125mm (5") ELOSMART HDPE DOUBLE WALL FITTINGS Ø110mm (4"), Ø125mm (5")







VERONA - ITALY

FACULTY OF ECONOMICS - UNIVERSITY OF VERONA

NRGEO

FACULTY OF ECONOMICS - UNIVERSITY OF VERONA

NATION	ITALY
CITY	VERONA
APPLICATION	GEO THERMAL SYSTEM
COMPLETION DATE	MAY 2012
MATERIALS USED	NRGEO GEOTHERMAL PROBES AND INJECTION PIPES Ø32mm (1") NRGEO FITTINGS AND NIRON MANIFOLDS



CITY OF SAN MARINO - REPUBLIC OF SAN MARINO


MULTIFUNCTIONAL BUILDING

NRGEO

MULTIFUNCTIONAL BUILDING

NATION	REPUBLIC OF SAN MARINO
CITY	CITY OF SAN MARINO
APPLICATION	GEOHERMAL SYSTEM
COMPLETION DATE	DECEMBER 2011
MATERIALS USED	NRGEO GEOTHERMAL PROBES AND INJECTION PIPES Ø32mm (1") NRGEO FITTINGS AND NIRON MANIFOLDS





FROSINONE - ITALY

APARTMENT BUILDING

ELOWEB

APARTMENT BUILDING

NATION	ITALY
CITY	FROSINONE
APPLICATION	RADIANT FLOOR HEATING SYSTEM
COMPLETION DATE	AUGUST 2017
MATERIALS USED	ELOWEB PE-RT PIPES Ø17x2mm (21/32") ELOWEB INSULATING PANELS



AVELLINO - ITALY

APARTMENT BUILDING

ELOWEB

APARTMENT BUILDING

NATION	ITALY
CITY	AVELLINO
APPLICATION	RADIANT FLOOR HEATING SYSTEM
COMPLETION DATE	APRIL 2016
MATERIALS USED	ELOWEB PEX-A PIPES Ø17x2mm (21/32") ELOWEB INSULATING PANELS



BUSTO ARSIZIO - ITALY

SAMUELE APARTMENT BUILDINGS

ELOWEB

SAMUELE APARTMENT BUILDINGS

NATION	ITALY
CITY	BUSTO ARSIZIO (VA)
APPLICATION	RADIANT FLOOR HEATING SYSTEM
COMPLETION DATE	JUNE 2015
MATERIALS USED	ELOWEB POLYBUTYLENE PIPES Ø18x2mm (23/32") ELOWEB INSULATING PANELS



SAN DEMETRIO NE' VESTINI - ITALY

SAN DEMETRIO PRESCHOOL

EloWEB

SAN DEMETRIO PRESCHOOL

NATION	ITALY
CITY	SAN DEMETRIO NE' VESTINI (AQ)
APPLICATION	RADIANT FLOOR HEATING SYSTEM RECONSTRUCTION AFTER THE EARTHQUAKE OF APRIL 2009
COMPLETION DATE	JULY 2009
MATERIALS USED	ELOWEB PE-RT PIPES Ø17x2mm (21/32") ELOWEB INSULATING PANELS





10

SMARTFLEX™

AUSTRALIA

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION AUSTRALIA

CITY -

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE APRIL 2018

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



SCHIPHOL - HOLLAND

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	HOLLAND
CITY	SCHIPHOL
APPLICATION	DIESEL SUPPLY LINES FOR GENERATOR SYSTEM
COMPLETION DATE	OCTOBER 2017
MATERIALS USED	SMARTFLEX PIPES Ø32/40mm (1"/1 ¼") SMARTFLEX FITTINGS Ø32/40mm (1"/1 ¼")



PATHUM THANI - THAILAND

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION THAILAND

CITY PATHUM THANI

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE JULY 2017

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")




BIRD KEY - UNITED STATES

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION	UNITED STATES
CITY	BIRD KEY (FLORIDA)
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	OCTOBER 2016
MATERIALS USED	SMARTFLEX DOUBLE WALL PIPES Ø63mm (2") SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")



MANDALAY - MYANMAR

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION MYANMAR

CITY MANDALAY

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE SEPTEMBER 2016

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



PORT MORESBY - PAPUA NEW GUINEA

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION PAPUA NEW GUINEA

CITY PORT MORESBY

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MAY 2016

MATERIALS USED SMARTFLEX DOUBLE WALL PIPES Ø63mm (2")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")



MADRID - SPAIN

TRUCK SERVICE STATION

SMARTFLEX™

TRUCK SERVICE STATION

NATION SPAIN

CITY MADRID

APPLICATION EXTENSION OF DIESEL AND ADBLUE SUPPLY SYSTEM

COMPLETION DATE APRIL 2016

MATERIALS USED SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø90mm (3"), Ø110mm (4")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø90mm (3"), Ø110mm (4")



NAGOYA - JAPAN

SERVICE STATION

SMARTFLEX™

SERVICE STATION


NATION JAPAN

CITY NAGOYA

APPLICATION FUEL LEAK DETECTION SYSTEM

COMPLETION DATE MARCH 2016

MATERIALS USED SMARTFLEX FUEL LEAK DETECTION SYSTEM



CHALONS EN CHAMPAGNE - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	FRANCE
CITY	CHALONS EN CHAMPAGNE
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	FEBRUARY 2016
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



DUBAI - UNITED ARAB EMIRATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED ARAB EMIRATES

CITY DUBAI

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE JUNE 2015

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø110mm (4")

SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø110mm (4")

SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



CUMBERLAND - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY CUMBERLAND (MARYLAND)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MARCH 2015

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



MIAMI - UNITED STATES

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION	UNITED STATES
CITY	MIAMI (FLORIDA)
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	JANUARY 2015
MATERIALS USED	SMARTFLEX DOUBLE WALL PIPES Ø63mm (2") SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")



BOZEMAN - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY BOZEMAN (MONTANA)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE NOVEMBER 2014

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION DISPENSER SUMPS



ALLIGATOR - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY ALLIGATOR (MISSISSIPPI)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE NOVEMBER 2014

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



PATHUM THANI - THAILAND

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION THAILAND

CITY PATHUM THANI

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2014

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



SOISSONS - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	FRANCE
CITY	SOISSONS
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	MARCH 2014

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



LORIENT - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	FRANCE
CITY	LORIENT
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	MARCH 2014

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



MUSCAT - OMAN

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION OMAN

CITY MUSCAT

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE NOVEMBER 2013

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



PORTALES - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY PORTALES (NEW MEXICO)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2013

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



THINFORD - UNITED KINGDOM

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED KINGDOM

CITY THINFORD

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MAY 2013

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



CAIRO - EGYPT

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION EGYPT

CITY CAIRO

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE APRIL 2013

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



FIGUERES - SPAIN

TRUCK SERVICE STATION

SMARTFLEX™

TRUCK SERVICE STATION

NATION	SPAIN
CITY	FIGUERES
APPLICATION	DIESEL SUPPLY SYSTEM
COMPLETION DATE	OCTOBER 2012

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø90mm (3"), Ø110mm (4")
SMARTFLEX DOUBLEWALL FITTINGS Ø63mm (2"), Ø90mm (3"), Ø110mm (4")
SMARTFLEX SPECIAL DOUBLE WALL REDUCING TEES Ø110/63mm (4"/2"),
Ø110/90mm (4"/3")



DÚRCAL - SPAIN

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION

SPAIN

CITY

DÚRCAL

APPLICATION

FUEL SUPPLY SYSTEM

COMPLETION DATE

APRIL 2012

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX DOUBLE FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



NABLUS - ISRAEL

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION ISRAEL

CITY NABLUS

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE APRIL 2011

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



HUAMBO - ANGOLA

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	ANGOLA
CITY	HUAMBO
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	MARCH 2010
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



TIVAT - MONTENEGRO

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION MONTENEGRO

CITY TIVAT

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2010

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø90mm (3"),
Ø160/225mm (6"/9")

SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø90mm (3"),
Ø160/225mm (6"/9")



BIRMINGHAM - UNITED STATES

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION UNITED STATES

CITY BIRMINGHAM (ALABAMA)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2009

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2")

SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")

SMARTFLEX HDPE ELECTROFUSION DISPENSER SUMPS



RICCIONE (RN) - ITALY

HIGHWAY SERVICE STATION

SMARTFLEX™

HIGHWAY SERVICE STATION

NATION	ITALY
CITY	RICCIONE (RN)
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	SEPTEMBER 2009
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



QUEENS - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	UNITED STATES
CITY	QUEENS (NEW YORK)
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	JUNE 2009

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



BÉZIERS - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	FRANCE
CITY	BÉZIERS
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	MAY 2009

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110/125mm (4"/5")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110/125mm (4"/5")



RIMINI - ITALY

AIRPORT SERVICE STATION

SMARTFLEX™

AIRPORT SERVICE STATION

NATION	ITALY
CITY	RIMINI
APPLICATION	FUEL SUPPLY SYSTEM FOR AIRPLANES AND HELICOPTERS
COMPLETION DATE	APRIL 2009

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4"), Ø160/225mm (6"/9")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4"), Ø160/225mm (6"/9")



SAINT KITTS - SAINT KITTS AND NEVIS MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION SAINT KITTS AND NEVIS

CITY SAINT KITTS

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2008

MATERIALS USED SMARTFLEX DOUBLE WALL PIPES Ø63mm (2")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")



WILLIAMSBRIDGE - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY WILLIAMSBRIDGE (NEW YORK)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2007

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



SENTOSA - SINGAPORE

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION SINGAPORE

CITY SENTOSA

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2007

MATERIALS USED SMARTFLEX DOUBLE WALL PIPES Ø63mm (2")
SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")



RIMINI - ITALY

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION ITALY

CITY RIMINI

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MARCH 2007

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



INCHEON - SOUTH KOREA

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION SOUTH KOREA

CITY INCHEON

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE AUGUST 2006

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4")

SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4")



MIAMI - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY MIAMI (FLORIDA)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE JUNE 2006

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



FORT MYERS - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY FORT MYERS (FLORIDA)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MAY 2006

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMPS



KINSHASA - CONGO

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	CONGO
CITY	KINSHASA
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	APRIL 2006
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



WAN CHAI - HONG KONG

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION HONG KONG

CITY WAN CHAI

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MARCH 2006

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



HOUSTON - UNITED STATES

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION UNITED STATES

CITY HOUSTON (TEXAS)

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE FEBRUARY 2006

MATERIALS USED

SMARTFLEX DOUBLE WALL PIPES Ø63mm (2")

SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2")

SMARTFLEX HDPE ELECTROFUSION TANK AND DISPENSER SUMP



POK FU LAM - HONG KONG

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION HONG KONG

CITY POK FU LAM

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE OCTOBER 2005

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



CANTON - CHINA

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	CHINA
CITY	CANTON
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	SEPTEMBER 2005
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



PORT SAID - EGYPT

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION	EGYPT
CITY	PORT SAID
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	APRIL 2004
MATERIALS USED	SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø90mm (3") SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø90mm (3")



BEAURAING - BELGIUM

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION BELGIUM

CITY BEAURAING

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE FEBRUARY 2004

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



VERWORST - HOLLAND

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION HOLLAND

CITY VERWORST

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE NOVEMBER 2003

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



NICE - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION


NATION FRANCE

CITY NICE

APPLICATION FUEL SUPPLY SYSTEM

COMPLETION DATE MARCH 2001

MATERIALS USED SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")



PARIS PONT AVAL - FRANCE

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	FRANCE
CITY	PARIS PONT AVAL
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	OCTOBER 2000

MATERIALS USED

SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4")
SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3"), Ø110mm (4")



ABU DHABI - UNITED ARAB EMIRATES

MARINA SERVICE STATION

SMARTFLEX™

MARINA SERVICE STATION

NATION	UNITED ARAB EMIRATES
CITY	ABU DHABI
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	FEBRUARY 2000
MATERIALS USED	SMARTFLEX DOUBLE WALL PIPES Ø63mm (2"), Ø90mm (3") SMARTFLEX DOUBLE WALL FITTINGS Ø63mm (2"), Ø90mm (3")



MOMBASA - KENYA

SERVICE STATION

SMARTFLEX™

SERVICE STATION

NATION	KENYA
CITY	MOMBASA
APPLICATION	FUEL SUPPLY SYSTEM
COMPLETION DATE	SEPTEMBER 1999
MATERIALS USED	SMARTFLEX PIPES Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3") SMARTFLEX FITTINGS Ø63mm (2"), Ø75mm (2 ½"), Ø90mm (3")





TURIN - ITALY

SERVICE STATION

SMART_{lpg}

SERVICE STATION

NATION	ITALY
CITY	TURIN
APPLICATION	LPG SUPPLY SYSTEM
COMPLETION DATE	NOVEMBER 2011
MATERIALS USED	SMARTLPG PIPES Ø25mm (¾"), Ø32mm (1") SMARTLPG FITTINGS Ø25mm (¾"), Ø32mm (1")





PORT LOUIS - MAURITIUS

SERVICE STATION

SMART conduit

SERVICE STATION

NATION	MAURITIUS
CITY	PORT LOUIS
APPLICATION	ELECTRICAL AND COMMUNICATION CABLE TRANSPORT SYSTEM
COMPLETION DATE	MARCH 2014
MATERIALS USED	SMARTCONDUIT PIPES Ø32mm (1") SMARTCONDUIT FITTINGS AND SMARTFLEX ENTRY BOOTS Ø32mm (1")



AUSTRALIA

SERVICE STATION

SMART conduit

SERVICE STATION

NATION AUSTRALIA

CITY -

APPLICATION ELECTRICAL AND COMMUNICATION CABLE TRANSPORT SYSTEM

COMPLETION DATE MAY 2013

MATERIALS USED SMARTCONDUIT PIPES Ø32mm (1")
SMARTCONDUIT FITTINGS AND SMARTFLEX ENTRY BOOTS
Ø32mm (1")



AUSTRALIA

SERVICE STATION

SMART conduit

SERVICE STATION

NATION AUSTRALIA

CITY -

APPLICATION ELECTRICAL AND COMMUNICATION CABLE TRANSPORT SYSTEM

COMPLETION DATE MARCH 2012

MATERIALS USED SMARTCONDUIT PIPES Ø32mm (1")
SMARTCONDUIT FITTINGS AND SMARTFLEX ENTRY BOOTS
Ø32mm (1")



AUSTRALIA

SERVICE STATION

SMART conduit

SERVICE STATION

NATION AUSTRALIA

CITY -

APPLICATION ELECTRICAL AND COMMUNICATION CABLE TRANSPORT SYSTEM

COMPLETION DATE JANUARY 2011

MATERIALS USED SMARTCONDUIT PIPES Ø32mm (1")
SMARTCONDUIT FITTINGS AND SMARTFLEX ENTRY BOOTS
Ø32mm (1")





HOUSTON - UNITED STATES

OILFIELD



OILFIELD

NATION UNITED STATES

CITY HOUSTON (TEXAS)

APPLICATION OIL PIPELINE

COMPLETION DATE AUGUST 2013

MATERIALS USED OILTECH 300 PIPES FROM Ø63mm (2") TO Ø200mm (8")
ELOFIT HDPE ELECTROFUSION FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



LEA COUNTY - UNITED STATES

OILFIELD



OILFIELD

NATION

UNITED STATES

CITY

LEA COUNTY (NEW MEXICO)

APPLICATION

OIL PIPELINE

COMPLETION DATE

FEBRUARY 2006

MATERIALS USED

OILTECH 300 PIPES FROM Ø63mm (2") TO Ø200mm (8")
ELOFIT HDPE ELECTROFUSION FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



LEVELLAND - UNITED STATES

OILFIELD



OILFIELD

NATION UNITED STATES

CITY LEVELLAND (TEXAS)

APPLICATION OIL PIPELINE

COMPLETION DATE JANUARY 2003

MATERIALS USED OILTECH 300 PIPES FROM Ø63mm (2") TO Ø200mm (8")
ELOFIT HDPE ELECTROFUSION FITTINGS FROM Ø63mm (2") TO Ø200mm (8")



ELK HILLS - UNITED STATES

OILFIELD



OILFIELD

NATION

UNITED STATES

CITY

ELK HILLS (CALIFORNIA)

APPLICATION

OIL PIPELINE

COMPLETION DATE

APRIL 2001

MATERIALS USED

OILTECH 300 PIPES FROM Ø63mm (2") TO Ø200mm (8")
ELOFIT HDPE ELECTROFUSION FITTINGS FROM Ø63mm (2") TO Ø200mm (8")





LERUM - SWEDEN

INDUSTRIAL PLANT

NADIR^{chem}

INDUSTRIAL PLANT

NATION SWEDEN

CITY LERUM

APPLICATION DRINKING WATER SUPPLY SYSTEM RESISTANT TO TETRACHLOROETHYLENE

COMPLETION DATE APRIL 2015

MATERIALS USED

NADIRCHEM PIPES Ø50mm (1 ½"), Ø110mm (4"), Ø280mm (11")
ELOFIT HDPE FITTINGS COVERED WITH SPECIAL PROTECTIVE
ADHESIVE TAPE Ø50mm (1 ½"), Ø110mm (4"), Ø280mm (11")





Nupi Industrie Italiane S.p.A.

via Stefano Ferrario 8
21052 Busto Arsizio (VA) Italy
ph. +39 0331 344211
fax +39 0331 351860

via dell'Artigianato 13
40023 Castel Guelfo (BO) Italy
ph. +39 0542 624911
fax +39 0542 670851

info@nupinet.com

www.nupiindustriaitaliane.com



Nupi Americas, Inc.

1511 Superior Way
Houston - TX 77039 - U.S.A.
ph. +1 281 590 4471
fax +1 281 590 5268

314 Commerce Parkway
Early Branch - SC 29916 - U.S.A.
ph. +1 803-398-3579
fax: +1 803 398 3639

info@nupiamericas.com

www.nupiamericas.com